THE

MINERALOGICAL JOURNAL

Published by

The Mineralogical Society of Japan

QE
351
M295

EDITORIAL BOARD

Chief: Nobuo KATAYAMA, *University of Tokyo*

Zyunpei HARADA, *Hokkaido University*
Teiichi ITO, *University of Tokyo*
Ryôiti KIRIYAMA, *University of Osaka*
Keiichi OMORI, *Tohoku University*
Jitsutaro TAKUBO, *University of Kyoto*
Seitaro TSUBOI, *University of Tokyo*
Takeo WATANABE, *University of Tokyo*
Toyofumi YOSHIMURA, *Kyushu University*

VOLUME 1

(Nos. 1-6, 1953-1956)

The Mineralogical Society of Japan

Department of Geology and Mineralogy, Faculty of Science,
Hokkaido University, Sapporo, Japan

THE

MINERALOGICAL JOURNAL

Published by

The Mineralogical Society of Japan

EDITORIAL BOARD

Chief: Noboru Kawasaki, University of Tokyo

Syungoro Hirano, Hokkaido University
Yoshiki Iwai, University of Tokyo
Ryoiti Kotô, University of Osaka
Keiichi Ozawa, Tohoku University
Jinsuke Tanaka, University of Kyoto
Saburo Tatsuo, University of Tokyo
Taku Watanabe, University of Tokyo
Toyohiko Yamanaka, Kyushu University

VOLUME I

(Nos. 1-6, 1953-1956)

The Mineralogical Society of Japan

Department of Geology and Mineralogy, Faculty of Science,
Hokkaido University, Sapporo, Japan

CONTENTS OF VOLUME 1

No. 1, SEPTEMBER, 1953

Announcement 1

On the dielectric constants of Minerals.....
.....J. Takubo, Y. Ukai and S. Kakitani... 3

On the dielectric constants of rocks .....
.....J. Takubo, Y. Ukai and Cheng Chi Kuo... 25

The differential thermal analysis curves and the dehydration curves of zeolites .....M. Koizumi... 36

On Conichalcite from Kitabira, Yamaguchi Prefecture, Japan ...
..... H. Minato and Y. Takano... 48

Suanite, a new magnesium borate mineral from Hol Kol, Suan, North Korea.....T. Watanabe... 54

Recueil minéralogique I. (1) Épidote de Munam. (2) Épidote de Takéshi .....J. Ito... 63

Particle shape of a certain clay of hydrated halloysite, as revealed by the electron microscope .....T. Sudo... 66

No. 2, MAY, 1954

On the anomalous optical properties of heikolite.....T. Shoda... 69

Paigeite (ferroludwigite) from the Kamaishi Iron Mine, Iwate Prefecture, Japan .....T. Watanabe and J. Ito... 84

On clinoclasite from Kitabira, Yamaguchi Prefecture, Japan.....
..... H. Minato... 89

On the thermo-electric potential of pyrite from the Tutiya-Isizaki mine, Hokkaido, Japan.....Z. Harada and Y. Hariya... 97

On the diadochic substitution in silicates .....F. Hori...109

Recueil minéralogique II. (3) Andalusite de Koshinmen...J. Ito...126

No. 3, OCTOBER, 1954

On the thermal transformation of kaolinite and halloysite.....
..... M. Nakahira...129

Biotite crystals from the Myôgô-hô, Miyagi Prefecture, Japan... ...H. Minato, Y. Takano and T. Ichimura...140

Uranium contents of zircons in granite ...I. Hayase...147

The crystal structure of orpiment (As_2S_3) refined...N. Morimoto...160

The number of counts of beta-rays detected by an end-window Geiger-Mueller counter ...N. Katayama...170

Parallel intergrowth of pyroxene and amphibole in plutonic rocks ...T. Sueno...185

No. 4, JUNE, 1955

Minerals of bismuthinite-stibnite series with special reference to horobetsuite from the Horobetsu mine, Hokkaido, Japan ... K. Hayase...189

X-ray measurements of the lattice destruction and its recovery on some radioactive minerals...T. Ueda and M. Korekawa...198

The development of pleochroic haloes and the alpha radioactivity of the nucleus minerals...I. Hayase...213

Iron-rich chlorite from Shôgasé, Kôchi Prefecture, Japan... ... H. Shirozu...224

On the structural variations of some Japanese kaolinite...S. Iwai...233

On inesite from Rendaiji ...S. Takasu...242

Recueil minéralogique III. (4) Riebeckite from Sepori in the Fukushin-san district, Korea. (5) Aegirine from Hoansan, in the Fukushin-san district, Korea ...J. Ito...250

No. 5, DECEMBER, 1955

High-temperature optics of natural sodic plagioclases...H. Kano...255

Clay minerals of decomposed andesitic agglomeratic lava at Yoake...S. Aomine and T. Higashi...278

On the electrical conduction of pyrite...A. Sasaki...290

The number of counts of beta-rays detected by an end-window Geiger-Mueller counter (Part II)...N. Katayama...303

Dielectric behaviour of apophyllite and analcite... ...R. Kiriyama, H. Ibamoto, M. Koizumi and R. Kitagaki...313

Boulangerite in sulphide ores from the Obira mine, Kyushu, Japan ...M. Miyahisa...323

A new method for estimating the termination effect in Fourier analysis ..... K. Doi ... 329

No. 6, JUNE, 1956

Vivianite from Himeshima, Ooita Prefecture, Japan ..... H. Minato, K. Kinoshita and Y. Okamoto ... 337

Magnesium-rich chlorite from the Wanibuchi mine, Shimane Prefecture ..... T. Sakamoto and T. Sudo ... 348

Effects of constituent cations on the refractive indices of orthopyroxenes ..... F. Hori ... 359

Optical properties and unit cell dimensions of cordierite and indialite ..... T. Iiyama ... 372

Chlorite from the Hitachi mine, Ibaragi Prefecture ..... H. Sato and T. Sudo ... 395

Index to volume 1 398

Title-page and contents